

Test Report

Report No.:CTT2104030798EN

Page 1 of 3

Applicant: DONGYANG JIA GUAN COMMODITY CO.,LTD

Address: No.246.Hulian west Road.JiangBeiStreet.DongYangcity.ZheJiang Province.China.322100

Sample Received Date: Apr. 14, 2021

Completed Date: Apr. 15, 2021

Report Date: Apr. 15, 2021

The following merchandise was (were) submitted and identified on behalf of the applicant as:

Sample Name: SHOWER CURTAIN

Packaging: Blister shell

Supplier: DONGYANG JIA GUAN COMMODITY CO.,LTD

Manufacturer: DONGYANG JIA GUAN COMMODITY CO.,LTD

Exported to: USA

Test Result(s): Please refer to next page(s).

Test Requested and Conclusion(s):

No.	Standard and Requirement	Conclusion(s)
1	California Proposition 65, Alameda Superior Court, Case No. BG07350969 - Lead	PASS
2	California AB1108 and California Proposition 65, Sacramento Superior Court, Case No. BG07350969 - Phthalates	PASS

Signed for and on Behalf of CTT:



Frank

Technical Manager

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of only apply to the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-2nd Floor, Building 5, District B, Yingcai Entrepreneurship Park, No.E21, Xinke Road, Yiwu, Zhejiang, China 322000

Tel:86-0579-89986543

Fax:86-0579-89986547

Hot Line:400 6789 666

Website:<http://www.cttlab.com>

Email:enquiry@cttlab.com



Test Report

Report No.:CTT2104030798EN

Page2 of 3

Test Result(s):

Lead - California Proposition 65, Alameda Superior Court, Case No. BG07350969

Method: CPSC-CH-E1002-08.3, analyzed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) .

Substances	Pb	Conclusion
CAS No.	7439-92-1	
Reporting Limit (mg/kg)	10	
Limit (mg/kg)	200	
Material No.	Result (mg/kg)	
1	19	PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than Reporting Limit).

Test Result(s):

Phthalates - California AB1108 and California Proposition 65, Sacramento Superior Court, Case No. BG07350969

Method: CPSC-CH-C1001-09.4, analyzed by Gas Chromatography-Mass Spectrometer (GC-MS) .

NO.	SubstancesName	CASNO.	Limit (mg/kg)	Reporting Limit (mg/kg)	Result (mg/kg)
					1
1	DBP	84-74-2	1000	50	N.D.
2	BBP	85-68-7	1000	50	N.D.
3	DEHP	117-81-7	1000	50	N.D.
4	DNOP	117-84-0	1000	50	N.D.
5	DINP	28553-12-0/68515-48-0	1000	100	N.D.
6	DIDP	26761-40-0/68515-49-1	1000	100	N.D.
7	DNHP	84-75-3	1000	50	N.D.
Conclusion					PASS

- NOTE:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (Less than Reporting Limit).

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of only apply to the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.



Test Report

Report No.:CTT2104030798EN

Page3 of 3

Test Material List

Material No.	Sample Description	Location
1	Multicolor plastic	Shower curtain body

Photo of Sample:



End of Report

This test report is issued by the company subject to its General Conditions of Services and accessible at <http://www.cttlab.com/order/202103190908290166.pdf>. The sample is provided by the applicant, our company is not responsible for the integrity, authenticity and identification information of the sample. Unless otherwise stated the results shown in this report sample as received. Without prior written permission of the company, this test report cannot be reproduced, except in full. Any inquiry about this report, please raise from the date of receipt of only apply to the report within 30 days, overdue will not be accept. Items marked with "n" means they are not accredited by CNAS (if with CNAS logo), "s" means the item of subcontractor. All or part of items of this report are not in the accredited scope of CMA and cannot be as domestic social impartiality proof data.

Zhejiang Consumer Testing
Technology Co., Ltd.

1st-2nd Floor, Building 5, District B, Yingcai Entrepreneurship Park, No.E21, Xinke Road, Yiwu, Zhejiang, China
322000
Tel: 86-0579-89986543 Fax: 86-0579-89986547 Hot Line: 400 6789 666
Website: <http://www.cttlab.com> Email: enquiry@cttlab.com

